

Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ30063
STVDJ30063
STVEJ30063

STV2J30063
STV3J30063

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	175 Gallons
Nominal Capacity	193 Gallons
Weight	548 Lbs.

Dimensions

Callout	Value	Description
A	71"	Overall Height
B	63"	Tank Height
C	34"	Diameter
D	19½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ30075
STVDJ30075
STVEJ30075

STV2J30075
STV3J30075

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	210 Gallons
Nominal Capacity	229 Gallons
Weight	613 Lbs.

Dimensions

Callout	Value	Description
A	83"	Overall Height
B	75"	Tank Height
C	34"	Diameter
D	19½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ30085
STVDJ30085
STVEJ30085

STV2J30085
STV3J30085

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	240 Gallons
Nominal Capacity	260 Gallons
Weight	673 Lbs.

Dimensions

Callout	Value	Description
A	93"	Overall Height
B	85"	Tank Height
C	34"	Diameter
D	19½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ30099

STV2J30099

STVDJ30099

STV3J30099

STVEJ30099



Submittal Data

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	280 Gallons
Nominal Capacity	303 Gallons
Weight	700 Lbs.

Dimensions

Callout	Value	Description
A	107"	Overall Height
B	99"	Tank Height
C	34"	Diameter
D	19½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ30111

STV2J30111

STVDJ30111

STV3J30111

STVEJ30111



Submittal Data

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	320 Gallons
Nominal Capacity	340 Gallons
Weight	730 Lbs.

Dimensions

Callout	Value	Description
A	119"	Overall Height
B	111"	Tank Height
C	34"	Diameter
D	19½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ36072

STV2J36072

STVDJ36072

STV3J36072

STVEJ36072

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	285 Gallons
Nominal Capacity	318 Gallons
Weight	714 Lbs.

Dimensions

Callout	Value	Description
A	80"	Overall Height
B	72"	Tank Height
C	40"	Diameter
D	21"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ36078
STVDJ36078
STVEJ36078

STV2J36078
STV3J36078



Submittal Data

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	310 Gallons
Nominal Capacity	344 Gallons
Weight	782 Lbs.

Dimensions

Callout	Value	Description
A	86"	Overall Height
B	78"	Tank Height
C	40"	Diameter
D	21"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ36085
STVDJ36085
STVEJ36085

STV2J36085
STV3J36085

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	340 Gallons
Nominal Capacity	375 Gallons
Weight	845 Lbs.

Dimensions

Callout	Value	Description
A	93"	Overall Height
B	85"	Tank Height
C	40"	Diameter
D	21"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 20-10 Document 4229F

Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ36090

STV2J36090

STVDJ36090

STV3J36090

STVEJ36090

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	360 Gallons
Nominal Capacity	397 Gallons
Weight	894 Lbs.

Dimensions

Callout	Value	Description
A	98"	Overall Height
B	90"	Tank Height
C	40"	Diameter
D	21"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ36102

STV2J36102

STVDJ36102

STV3J36102

STVEJ36102

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	415 Gallons
Nominal Capacity	449 Gallons
Weight	982 Lbs.

Dimensions

Callout	Value	Description
A	110"	Overall Height
B	102"	Tank Height
C	40"	Diameter
D	21"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ36114
STVDJ36114
STVEJ36114

STV2J36114
STV3J36114

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	465 Gallons
Nominal Capacity	502 Gallons
Weight	1106 Lbs.

Dimensions

Callout	Value	Description
A	122"	Overall Height
B	114"	Tank Height
C	40"	Diameter
D	21"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ36126
STVDJ36126
STVEJ36126

STV2J36126
STV3J36126

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	515 Gallons
Nominal Capacity	555 Gallons
Weight	1194 Lbs.

Dimensions

Callout	Value	Description
A	134"	Overall Height
B	126"	Tank Height
C	40"	Diameter
D	21"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 20-10 Document 4229F

Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ42081
STVDJ42081
STVEJ42081

STV2J42081
STV3J42081

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	435 Gallons
Nominal Capacity	486 Gallons
Weight	1024 Lbs.

Dimensions

Callout	Value	Description
A	89"	Overall Height
B	81"	Tank Height
C	46"	Diameter
D	22½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ42084
STVDJ42084
STVEJ42084

STV2J42084
STV3J42084

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	453 Gallons
Nominal Capacity	504 Gallons
Weight	1074 Lbs.

Dimensions

Callout	Value	Description
A	92"	Overall Height
B	84"	Tank Height
C	46"	Diameter
D	22½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 20-10 Document 4229F

Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ42093
STVDJ42093
STVEJ42093

STV2J42093
STV3J42093

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	505 Gallons
Nominal Capacity	558 Gallons
Weight	1168 Lbs.

Dimensions

Callout	Value	Description
A	101"	Overall Height
B	93"	Tank Height
C	46"	Diameter
D	22½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ42105
STVDJ42105
STVEJ42105

STV2J42105
STV3J42105

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	575 Gallons
Nominal Capacity	630 Gallons
Weight	1292 Lbs.

Dimensions

Callout	Value	Description
A	113"	Overall Height
B	105"	Tank Height
C	46"	Diameter
D	22½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ42117
STVDJ42117
STVEJ42117

STV2J42117
STV3J42117

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	645 Gallons
Nominal Capacity	702 Gallons
Weight	1392 Lbs.

Dimensions

Callout	Value	Description
A	125"	Overall Height
B	117"	Tank Height
C	46"	Diameter
D	22½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ42129

STV2J42129

STVDJ42129

STV3J42129

STVEJ42129



Submittal Data

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	720 Gallons
Nominal Capacity	774 Gallons
Weight	1498 Lbs.

Dimensions

Callout	Value	Description
A	137"	Overall Height
B	129"	Tank Height
C	46"	Diameter
D	22½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 20-10 Document 4229F

Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ42139
STVDJ42139
STVEJ42139

STV2J42139
STV3J42139

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	776 Gallons
Nominal Capacity	834 Gallons
Weight	1587 Lbs.

Dimensions

Callout	Value	Description
A	147"	Overall Height
B	139"	Tank Height
C	46"	Diameter
D	22½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 20-10 Document 4229F

Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ48073

STV2J48073

STVDJ48073

STV3J48073

STVEJ48073



Submittal Data

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	500 Gallons
Nominal Capacity	572 Gallons
Weight	1381 Lbs.

Dimensions

Callout	Value	Description
A	81"	Overall Height
B	73"	Tank Height
C	52"	Diameter
D	24"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ48084
STVDJ48084
STVEJ48084

STV2J48084
STV3J48074

Date:

Project #:

Engineer:

Prepared By:

Bid Date:



Submittal Data

Project Name:

Location:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	580 Gallons
Nominal Capacity	658 Gallons
Weight	1539 Lbs.

Dimensions

Callout	Value	Description
A	92"	Overall Height
B	84"	Tank Height
C	52"	Diameter
D	24"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ48096
STVDJ48096
STVEJ48096

STV2J48096
STV3J48096

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	675 Gallons
Nominal Capacity	752 Gallons
Weight	1653 Lbs.

Dimensions

Callout	Value	Description
A	104"	Overall Height
B	96"	Tank Height
C	52"	Diameter
D	24"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ48108

STV2J48108

STVDJ48108

STV3J48108

STVEJ48108



Submittal Data

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	765 Gallons
Nominal Capacity	846 Gallons
Weight	1803 Lbs.

Dimensions

Callout	Value	Description
A	116"	Overall Height
B	108"	Tank Height
C	52"	Diameter
D	24"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ48120
STVDJ48120
STVEJ48120

STV2J48120
STV3J48120

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	860 Gallons
Nominal Capacity	940 Gallons
Weight	1947 Lbs.

Dimensions

Callout	Value	Description
A	128"	Overall Height
B	120"	Tank Height
C	52"	Diameter
D	24"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ48141
STVDJ48141
STVEJ48141

STV2J48141
STV3J48141

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1040 Gallons
Nominal Capacity	1128 Gallons
Weight	2216 Lbs.

Dimensions

Callout	Value	Description
A	149"	Overall Height
B	141"	Tank Height
C	52"	Diameter
D	24"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ54099

STV2J54099

STVDJ54099

STV3J54099

STVEJ54099



Submittal Data

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	875 Gallons
Nominal Capacity	981 Gallons
Weight	2200 Lbs.

Dimensions

Callout	Value	Description
A	107"	Overall Height
B	99"	Tank Height
C	58"	Diameter
D	27½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ54113

STV2J54113

STVDJ54113

STV3J54113

STVEJ54113



Submittal Data

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1000 Gallons
Nominal Capacity	1119 Gallons
Weight	2400 Lbs.

Dimensions

Callout	Value	Description
A	121"	Overall Height
B	113"	Tank Height
C	58"	Diameter
D	27½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ54123
STVDJ54123
STVEJ54123

STV2J54123
STV3J54123

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1110 Gallons
Nominal Capacity	1219 Gallons
Weight	2575 Lbs.

Dimensions

Callout	Value	Description
A	129"	Overall Height
B	123"	Tank Height
C	58"	Diameter
D	27½"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 20-10 Document 4229F

Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ60096
STVDJ60096
STVEJ60096

STV2J60096
STV3J60096

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1000 Gallons
Nominal Capacity	1174 Gallons
Weight	2600 Lbs.

Dimensions

Callout	Value	Description
A	104"	Overall Height
B	96"	Tank Height
C	64"	Diameter
D	29"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ60114

STV2J60114

STVDJ60114

STV3J60114

STVEJ60114

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1245 Gallons
Nominal Capacity	1395 Gallons
Weight	3050 Lbs.

Dimensions

Callout	Value	Description
A	122"	Overall Height
B	114"	Tank Height
C	64"	Diameter
D	29"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Tank, Vertical Jacketed

Design

- ☐ STVGJ Carbon Steel, Glass Lined
Five-Year Tank Limited Warranty
- ☐ STVDJ Carbon Steel, Double-Glass Lined
Ten-Year Tank Limited Warranty
- ☐ STVEJ Carbon Steel, Epoxy Lining
One-Year Tank Limited Warranty
- ☐ STV2J Duplex Stainless Steel
Twenty-Five-Year* Tank Limited Warranty
*See warranty sheet for details
- ☐ STV3J 316L Stainless Steel
Ten-Year Tank Limited Warranty

STVGJ60138
STVDJ60138
STVEJ60138

STV2J60138
STV3J60138

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Code	ASME Sec IV HLW
Design Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Ga. Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1530 Gallons
Nominal Capacity	1689 Gallons
Weight	3500 Lbs.

Dimensions

Callout	Value	Description
A	146"	Overall Height
B	138"	Tank Height
C	64"	Diameter
D	29"	Circulation

Options

- ☐ 150 PSI Vessel
- ☐ Hand Hole
- ☐ Optional Fittings / Additional Notes:



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 20-10 Document 4229F