Common Vent Kits FT SERIES For FT301-399 Boilers D2027000 D2027100 D2027200 D2027300 Date: **Heating Systems Company** Project #: Submittal Data Engineer: Project Name: . • Prepared By: Location: Bid Date: Contractor: Standard • Polypropylene material for venting Starter kits for two boilers for · May be used with horizontally- or • Features

- condensing gas-fired boilers Allowsup to four FT Series boilers to ٠
 - to be attached to a common vent
- exhaust and air intake
- Extension kits to add 1 boiler to a • starter kit for exhaust and air intake
- vertically-terminated vent systems
- Approved for both sealed combustion and direct vent applications

						Vent Length		Vent Length Horizontal ^(see note 3)	
			Input	Air Intak	Air Intake Length Vertical ^(see note 2)				
No. of Boilers	301	399	MBH	feet	m	feet	m	feet	m
2	2	0	600	75	23	100	31	75	23
	1	1	700	75	23	100	31	75	23
	0	2	800	75	23	100	31	75	23
3	3	0	900	75	23	100	31	75	23
	2	1	1000	75	23	100	31	75	23
	1	2	1100	75	23	100	31	75	23
	0	3	1200	75	23	100	31	75	23
4	4	0	1200	75	23	100	31	75	23
	3	1	1300	75	23	100	31	75	23
	2	2	1400	75	23	100	31	75	23
	1	3	1500	75	23	100	31	75	23
	0	4	1600	75	23	100	31	75	23

Notes:

Sizing Data

1. Lengths shown are calculated equivalents:

90° elbows = 5 linear feet (2.4 m) of vent length

- 2. 70 feet (21 m) or straight polypropylene pipe and 30 feet (9 m) of polypropylene flex.
- 3. Flex polypropylene can only be used with vertically-terminated vent systems.

Exhaust Vent Kits

Kit Number D2027000

Use to vent 2 boilers

Components Included:

Part	
6" Inline branch tee with 3" feeder	2
3" Appliance adapter PVC to PP	2
3" x 24" Vent length	2
3" x 87° Elbow	2
6" Horizontal drain fitting	1
Short john ball valve siphon	1
6" support clamp	1
3" connector ring	6
Lubricant	1



Note: Canadian installations require two non-return-valve kits D2027800 to be used in conjunction with this kit (one for each boiler). Use in U.S. installations is optional.

Kit Number D2027100

Use to add 1 boiler to starter kit

Components Included:

Part	Qty
6" Inline branch tee with 3" feeder	1
3" Appliance adapter PVC to PP	1
3" x 24" Vent length	1
3" x 87° Elbow	1
6" support clamp	1
3" connector ring	3



Note: Canadian installations require one non-return-valve kit D2027800 to be used in conjunction with this kit (one for each boiler). Use in U.S. installations is optional.

Intake Air Kits

Kit Number D2027200

Use with 2 boilers

Components Included:

Part	Qty
6" Inline branch tee with 3" feeder	2
3" Appliance adapter PVC to PP	2
3" x 87° Elbow	2
6" Tee cap	1
6" support clamp	1
Lubricant	1



Kit Number D2027300

Use to add 1 boiler to starter kit

Components Included:

Part	
6" Inline branch tee with 3" feeder	2
3" Appliance adapter PVC to PP	2
3" x 87° Elbow	2
6" support clamp	1



Typical Installed Dimensions



View is from back of boilers.



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583 Headquarters: 20 Industrial Way, Rochester, NH, USA, 03867 • 603.335.6300 • Fax 603.335.3355 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 (905) 203-0600 Fax: (905) 636-0666

www.Laars.com

Litho in U.S.A. © Laars Heating Systems 24-11 Document 1556