



Commercial Stainless Steel Storage Tank Replacement Parts

LSSJST Models

Models Covered:
LSSJST(80,115)



Effective: November, 2025
ECO 8935

**NOTE: BOTH MODEL AND SERIAL
NUMBERS ARE REQUIRED FOR
ORDERING REPLACEMENT PARTS**

Dimensions and specifications
subject to change without notice.



As required by the state of California Proposition 65.

Item	Description	Model	Model
		LSSJST80	LSSJST115
1	T&P Relief Valve*	---	---
2	Thermowell	415-56524-00	415-56524-00
3	Brass Drain Valve	415-48070-01	415-48070-01

* A combination temperature and pressure relief valve is required by code as a protective device. It is not normally supplied by the tank manufacturer as original equipment. It is traditionally provided by the installer and is shown here for replacement parts purposes. The T&P valve for these storage tanks must be rated for the BTU input of the heater of the system where installed. P/N 415-33630-04 T&P is a valve with 1" NPT female threads rated for 750,000 BTU applications. A 1" NPT brass nipple of at least 2-1/2" length must be used, such as P/N 239-44321-06.



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Bridgen Gate, Halton Hills, Ontario, Canada L7G 0A3 (905) 203-0600 Fax: (905) 636-0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems