

Tank, Vertical Bare

STVGB30063

STVDB30063

STVEB30063

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	175 Gallons
Nominal Capacity	193 Gallons
Weight	340 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	67"	Overall Height
B	63"	Tank Height
C	30"	Diameter
D	17½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB30075

STVDB30075

STVEB30075

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	210 Gallons
Nominal Capacity	229 Gallons
Weight	387 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	79"	Overall Height
B	75"	Tank Height
C	30"	Diameter
D	17½"	Circulation

Additional Information



Tank, Vertical Bare

STVGB30085

STVDB30085

STVEB30085

Design

☐ STVGB Glass Lining with
Five Year Tank Limited Warranty

☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty

☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	240 Gallons
Nominal Capacity	260 Gallons
Weight	420 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	89"	Overall Height
B	85"	Tank Height
C	30"	Diameter
D	17½"	Circulation

Additional Information



Tank, Vertical Bare

STVGB30099

STVDB30099

STVEB30099

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	280 Gallons
Nominal Capacity	303 Gallons
Weight	483 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	103"	Overall Height
B	99"	Tank Height
C	30"	Diameter
D	17½"	Circulation

Additional Information



Tank, Vertical Bare

STVGB30111

STVDB30111

STVEB30111

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	320 Gallons
Nominal Capacity	340 Gallons
Weight	530 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	115"	Overall Height
B	111"	Tank Height
C	30"	Diameter
D	17½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB36078

STVDB36078

STVEB36078

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	310 Gallons
Nominal Capacity	344 Gallons
Weight	588 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	82"	Overall Height
B	78"	Tank Height
C	36"	Diameter
D	19"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB36085

STVDB36085

STVEB36085

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	340 Gallons
Nominal Capacity	375 Gallons
Weight	633 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	89"	Overall Height
B	85"	Tank Height
C	36"	Diameter
D	19"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB36090

STVDB36090

STVEB36090

Design

☐ STVGB Glass Lining with
Five Year Tank Limited Warranty

☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty

☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	360 Gallons
Nominal Capacity	397 Gallons
Weight	664 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	94"	Overall Height
B	90"	Tank Height
C	36"	Diameter
D	19"	Circulation

Additional Information



Tank, Vertical Bare

STVGB36072

STVDB36072

STVEB36072

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	285 Gallons
Nominal Capacity	318 Gallons
Weight	550 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	76"	Overall Height
B	72"	Tank Height
C	36"	Diameter
D	19"	Circulation

Additional Information



Tank, Vertical Bare

STVGB36102

STVDB36102

STVEB36102

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	415 Gallons
Nominal Capacity	449 Gallons
Weight	742 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	106"	Overall Height
B	102"	Tank Height
C	36"	Diameter
D	19"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB36114

STVDB36114

STVEB36114

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	465 Gallons
Nominal Capacity	502 Gallons
Weight	818 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	118"	Overall Height
B	114"	Tank Height
C	36"	Diameter
D	19"	Circulation

Additional Information



Tank, Vertical Bare

STVGB36126

STVDB36126

STVEB36126

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	515 Gallons
Nominal Capacity	555 Gallons
Weight	894 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	130"	Overall Height
B	126"	Tank Height
C	36"	Diameter
D	19"	Circulation

Additional Information



Tank, Vertical Bare

STVGB42081

STVDB42081

STVEB42081

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	435 Gallons
Nominal Capacity	486 Gallons
Weight	783 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	85"	Overall Height
B	81"	Tank Height
C	42"	Diameter
D	20½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB42084
STVDB42084
STVEB42084

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	453 Gallons
Nominal Capacity	504 Gallons
Weight	805 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	88"	Overall Height
B	84"	Tank Height
C	42"	Diameter
D	20½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB42093

STVDB42093

STVEB42093

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	505 Gallons
Nominal Capacity	558 Gallons
Weight	874 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	97"	Overall Height
B	93"	Tank Height
C	42"	Diameter
D	20½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB42105
STVDB42105
STVEB42105

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	575 Gallons
Nominal Capacity	630 Gallons
Weight	963 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Submittal Data

Project Name:

Location:

Contractor:




Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	109"	Overall Height
B	105"	Tank Height
C	42"	Diameter
D	20½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB42117

STVDB42117

STVEB42117

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	645 Gallons
Nominal Capacity	702 Gallons
Weight	1052 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	121"	Overall Height
B	117"	Tank Height
C	42"	Diameter
D	20½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB42129

STVDB42129

STVEB42129

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	720 Gallons
Nominal Capacity	774 Gallons
Weight	1140 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	133"	Overall Height
B	129"	Tank Height
C	42"	Diameter
D	20½"	Circulation

Additional Information



Tank, Vertical Bare

STVGB42139

STVDB42139

STVEB42139

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	776 Gallons
Nominal Capacity	834 Gallons
Weight	1217 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	143"	Overall Height
B	139"	Tank Height
C	42"	Diameter
D	20½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
 Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB48073

STVDB48073

STVEB48073

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	500 Gallons
Nominal Capacity	572 Gallons
Weight	1038 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	77"	Overall Height
B	73"	Tank Height
C	48"	Diameter
D	22"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB48084
STVDB48084
STVEB48084

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	580 Gallons
Nominal Capacity	658 Gallons
Weight	1161 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	88"	Overall Height
B	84"	Tank Height
C	48"	Diameter
D	22"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB48096

STVDB48096

STVEB48096

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	675 Gallons
Nominal Capacity	752 Gallons
Weight	1298 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	100"	Overall Height
B	96"	Tank Height
C	48"	Diameter
D	22"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB48108

STVDB48108

STVEB48108

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	785 Gallons
Nominal Capacity	846 Gallons
Weight	1433 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	112"	Overall Height
B	108"	Tank Height
C	48"	Diameter
D	22"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB48120
STVDB48120
STVEB48120

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	860 Gallons
Nominal Capacity	940 Gallons
Weight	1567 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	124"	Overall Height
B	120"	Tank Height
C	48"	Diameter
D	22"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB48168

STVDB48168

STVEB48168

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1225 Gallons
Nominal Capacity	1306 Gallons
Weight	2186 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	172"	Overall Height
B	168"	Tank Height
C	48"	Diameter
D	22"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
 Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB48141

STVDB48141

STVEB48141

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1040 Gallons
Nominal Capacity	1128 Gallons
Weight	1805 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	145"	Overall Height
B	141"	Tank Height
C	48"	Diameter
D	22"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB54099

STVDB54099

STVEB54099

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	875 Gallons
Nominal Capacity	981 Gallons
Weight	1596 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	105"	Overall Height
B	99"	Tank Height
C	54"	Diameter
D	25½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB54113

STVDB54113

STVEB54113

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1000 Gallons
Nominal Capacity	1119 Gallons
Weight	1827 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	119"	Overall Height
B	113"	Tank Height
C	54"	Diameter
D	25½"	Circulation

Additional Information



Tank, Vertical Bare

STVGB54123

STVDB54123

STVEB54123

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1110 Gallons
Nominal Capacity	1219 Gallons
Weight	1889 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	129"	Overall Height
B	123"	Tank Height
C	54"	Diameter
D	25½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB54134

STVDB54134

STVEB54134

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1217 Gallons
Nominal Capacity	1327 Gallons
Weight	1969 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	140"	Overall Height
B	134"	Tank Height
C	54"	Diameter
D	25½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB54147

STVDB54147

STVEB54147

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1340 Gallons
Nominal Capacity	1457 Gallons
Weight	2182 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	153"	Overall Height
B	147"	Tank Height
C	54"	Diameter
D	25½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB54165

STVDB54165

STVEB54165

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1500 Gallons
Nominal Capacity	1635 Gallons
Weight	2484 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	171"	Overall Height
B	165"	Tank Height
C	54"	Diameter
D	25½"	Circulation

Additional Information



Tank, Vertical Bare

STVGB54183

STVDB54183

STVEB54183

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1690 Gallons
Nominal Capacity	1814 Gallons
Weight	2722 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	189"	Overall Height
B	183"	Tank Height
C	54"	Diameter
D	25½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB60096

STVDB60096

STVEB60096

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1000 Gallons
Nominal Capacity	1174 Gallons
Weight	2007 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	102"	Overall Height
B	96"	Tank Height
C	60"	Diameter
D	27"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB60114

STVDB60114

STVEB60114

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1245 Gallons
Nominal Capacity	1395 Gallons
Weight	2376 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	120"	Overall Height
B	114"	Tank Height
C	60"	Diameter
D	27"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB60138

STVDB60138

STVEB60138

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1530 Gallons
Nominal Capacity	1689 Gallons
Weight	2797 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	144"	Overall Height
B	138"	Tank Height
C	60"	Diameter
D	27"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB60168

STVDB60168

STVEB60168

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1820 Gallons
Nominal Capacity	1983 Gallons
Weight	3210 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	174"	Overall Height
B	168"	Tank Height
C	60"	Diameter
D	27"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB60177

STVDB60177

STVEB60177

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2000 Gallons
Nominal Capacity	2165 Gallons
Weight	3481 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	183"	Overall Height
B	177"	Tank Height
C	60"	Diameter
D	27"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB60186

STVDB60186

STVEB60186

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2105 Gallons
Nominal Capacity	2276 Gallons
Weight	3639 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	192"	Overall Height
B	186"	Tank Height
C	60"	Diameter
D	27"	Circulation

Additional Information



Tank, Vertical Bare

STVGB60210

STVDB60210

STVEB60210

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2395 Gallons
Nominal Capacity	2570 Gallons
Weight	3922 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	216"	Overall Height
B	210"	Tank Height
C	60"	Diameter
D	27"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB72100
STVDB72100
STVEB72100

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1538 Gallons
Nominal Capacity	1761 Gallons
Weight	2677 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	106"	Overall Height
B	100"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB72117

STVDB72117

STVEB72117

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1800 Gallons
Nominal Capacity	2061 Gallons
Weight	3035 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	123"	Overall Height
B	117"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Tank, Vertical Bare

STVGB72120
STVDB72120
STVEB72120

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	1865 Gallons
Nominal Capacity	2115 Gallons
Weight	3099 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	126"	Overall Height
B	120"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com

Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB72128

STVDB72128

STVEB72128

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2000 Gallons
Nominal Capacity	2256 Gallons
Weight	3267 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	134"	Overall Height
B	128"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB72144

STVDB72144

STVEB72144

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2285 Gallons
Nominal Capacity	2538 Gallons
Weight	3304 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	150"	Overall Height
B	144"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB72157

STVDB72157

STVEB72157

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2500 Gallons
Nominal Capacity	2765 Gallons
Weight	3878 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	163"	Overall Height
B	157"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB72168

STVDB72168

STVEB72168

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2727 Gallons
Nominal Capacity	2959 Gallons
Weight	4110 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	174"	Overall Height
B	168"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Tank, Vertical Bare

STVGB72192

STVDB72192

STVEB72192

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	3147 Gallons
Nominal Capacity	3382 Gallons
Weight	4616 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	198"	Overall Height
B	192"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Tank, Vertical Bare

STVGB72216

STVDB72216

STVEB72216

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	3567 Gallons
Nominal Capacity	3805 Gallons
Weight	5122 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	222"	Overall Height
B	216"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Tank, Vertical Bare

STVGB72250

STVDB72250

STVEB72250

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	4162 Gallons
Nominal Capacity	4404 Gallons
Weight	5616 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	256"	Overall Height
B	250"	Tank Height
C	72"	Diameter
D	30"	Circulation

Additional Information



Tank, Vertical Bare

STVGB84121

STVDB84121

STVEB84121

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2500 Gallons
Nominal Capacity	2901 Gallons
Weight	4265 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	127"	Overall Height
B	121"	Tank Height
C	84"	Diameter
D	33"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB84138

STVDB84138

STVEB84138

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	2915 Gallons
Nominal Capacity	3308 Gallons
Weight	4747 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	144"	Overall Height
B	138"	Tank Height
C	84"	Diameter
D	33"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB84186

STVDB84186

STVEB84186

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	4045 Gallons
Nominal Capacity	4459 Gallons
Weight	6109 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	192"	Overall Height
B	186"	Tank Height
C	84"	Diameter
D	33"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB84210

STVDB84210

STVEB84210

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	4610 Gallons
Nominal Capacity	5038 Gallons
Weight	6789 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	216"	Overall Height
B	210"	Tank Height
C	84"	Diameter
D	33"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1908 Document 4220E

Tank, Vertical Bare

STVGB84162

STVDB84162

STVEB84162

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	3480 Gallons
Nominal Capacity	3884 Gallons
Weight	5428 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	168"	Overall Height
B	162"	Tank Height
C	84"	Diameter
D	33"	Circulation

Additional Information



Tank, Vertical Bare

STVGB84256

STVDB84256

STVEB84256

Design

- ☐ STVGB Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDB Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEB Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Primed Painted
Supports	Skirt
Capacity	5695 Gallons
Nominal Capacity	6138 Gallons
Weight	8094 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data

Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	262"	Overall Height
B	256"	Tank Height
C	84"	Diameter
D	33"	Circulation

Additional Information

