

Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ30063
STHDJ30063
STHEJ30063



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	175 Gallons
Nominal Capacity	193 Gallons
Weight	570 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	67"	Overall Length
B	41"	Overall Height
C	34"	Diameter
D	18"	Circulation
E	18"	Supports
F	26.4"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ30075
STHDJ30075
STHEJ30075



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	210 Gallons
Nominal Capacity	229 Gallons
Weight	622 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	79"	Overall Length
B	41"	Overall Height
C	34"	Diameter
D	24"	Circulation
E	24"	Supports
F	26.4"	Support Width

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1911 Document 4224E

Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ30085
STHDJ30085
STHEJ30085



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	240 Gallons
Nominal Capacity	260 Gallons
Weight	755 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	89"	Overall Length
B	41"	Overall Height
C	34"	Diameter
D	29"	Circulation
E	34"	Supports
F	26.4"	Support Width

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1911 Document 4224E

Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ30099
STHDJ30099
STHEJ30099



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	280 Gallons
Nominal Capacity	303 Gallons
Weight	728 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	103"	Overall Length
B	41"	Overall Height
C	34"	Diameter
D	36"	Circulation
E	48"	Supports
F	26.4"	Support Width

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1911 Document 4224E

Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	320 Gallons
Nominal Capacity	340 Gallons
Weight	774 Lbs.

Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	115"	Overall Length
B	41"	Overall Height
C	34"	Diameter
D	42"	Circulation
E	60"	Supports
F	26.4"	Support Width

Additional Information

STHGJ30111
STHDJ30111
STHEJ30111



Date:

Project #:

Engineer:

Prepared By:



Bid Date:

Submittal Data

Project Name:

Location:

Contractor:



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ36072
STHDJ36072
STHEJ36072



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	285 Gallons
Nominal Capacity	318 Gallons
Weight	776 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	76"	Overall Length
B	47"	Overall Height
C	40"	Diameter
D	21"	Circulation
E	18"	Supports
F	31.7"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ36078
STHDJ36078
STHEJ36078



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	310 Gallons
Nominal Capacity	344 Gallons
Weight	827 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	82"	Overall Length
B	47"	Overall Height
C	40"	Diameter
D	24"	Circulation
E	24"	Supports
F	31.7"	Support Width

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1911 Document 4224E

Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ36085
STHDJ36085
STHEJ36085



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	340 Gallons
Nominal Capacity	375 Gallons
Weight	876 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	89"	Overall Length
B	47"	Overall Height
C	40"	Diameter
D	27.5"	Circulation
E	31"	Supports
F	31.7"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ36090
STHDJ36090
STHEJ36090



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	360 Gallons
Nominal Capacity	397 Gallons
Weight	935 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	94"	Overall Length
B	47"	Overall Height
C	40"	Diameter
D	30"	Circulation
E	40"	Supports
F	31.7"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ36102
STHDJ36102
STHEJ36102



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	415 Gallons
Nominal Capacity	449 Gallons
Weight	1016 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	106"	Overall Length
B	47"	Overall Height
C	40"	Diameter
D	36"	Circulation
E	48"	Supports
F	31.7"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	465 Gallons
Nominal Capacity	502 Gallons
Weight	1157 Lbs.

Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	118"	Overall Length
B	47"	Overall Height
C	40"	Diameter
D	42"	Circulation
E	60"	Supports
F	31.7"	Support Width

Additional Information

STHGJ36114
STHDJ36114
STHEJ36114



Date:

Project #:

Engineer:

Prepared By:



Bid Date:

Submittal Data

Project Name:

Location:

Contractor:



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ36126
STHDJ36126
STHEJ36126



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	515 Gallons
Nominal Capacity	555 Gallons
Weight	1260 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	130"	Overall Length
B	47"	Overall Height
C	40"	Diameter
D	48"	Circulation
E	72"	Supports
F	31.7"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ42081
STHDJ42081
STHEJ42081



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	435 Gallons
Nominal Capacity	486 Gallons
Weight	1110 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	85"	Overall Length
B	53"	Overall Height
C	46"	Diameter
D	24"	Circulation
E	24"	Supports
F	36.8"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ42084
STHDJ42084
STHEJ42084



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	453 Gallons
Nominal Capacity	504 Gallons
Weight	1049 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	88"	Overall Length
B	53"	Overall Height
C	46"	Diameter
D	25.5"	Circulation
E	27"	Supports
F	36.8"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ42093
STHDJ42093
STHEJ42093



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	505 Gallons
Nominal Capacity	558 Gallons
Weight	1181 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	97"	Overall Length
B	53"	Overall Height
C	46"	Diameter
D	30"	Circulation
E	36"	Supports
F	36.8"	Support Width

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1911 Document 4224E

Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ42105
STHDJ42105
STHEJ42105



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	575 Gallons
Nominal Capacity	630 Gallons
Weight	1263 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	109"	Overall Length
B	53"	Overall Height
C	46"	Diameter
D	36"	Circulation
E	48"	Supports
F	36.8"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ42117
STHDJ42117
STHEJ42117



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	645 Gallons
Nominal Capacity	702 Gallons
Weight	1352 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	121"	Overall Length
B	53"	Overall Height
C	46"	Diameter
D	42"	Circulation
E	60"	Supports
F	36.8"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ42129
STHDJ42129
STHEJ42129



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	720 Gallons
Nominal Capacity	774 Gallons
Weight	1460 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	133"	Overall Length
B	53"	Overall Height
C	46"	Diameter
D	48"	Circulation
E	72"	Supports
F	36.8"	Support Width

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1911 Document 4224E

Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ42139
STHDJ42139
STHEJ42139



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	776 Gallons
Nominal Capacity	834 Gallons
Weight	1547 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	143"	Overall Length
B	53"	Overall Height
C	46"	Diameter
D	53"	Circulation
E	82"	Supports
F	36.8"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	500 Gallons
Nominal Capacity	572 Gallons
Weight	1449 Lbs.

Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	77"	Overall Length
B	59"	Overall Height
C	52"	Diameter
D	18.5"	Circulation
E	17"	Supports
F	42.1"	Support Width

Additional Information

STHGJ48073
STHDJ48073
STHEJ48073



Date:

Project #:

Engineer:

Prepared By:



Bid Date:

Submittal Data

Project Name:

Location:

Contractor:



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ48084
STHDJ48084
STHEJ48084



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	580 Gallons
Nominal Capacity	658 Gallons
Weight	1593 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	88"	Overall Length
B	59"	Overall Height
C	52"	Diameter
D	24"	Circulation
E	24"	Supports
F	42.1"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ48096
STHDJ48096
STHEJ48096



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	675 Gallons
Nominal Capacity	752 Gallons
Weight	1750 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	100"	Overall Length
B	59"	Overall Height
C	52"	Diameter
D	30"	Circulation
E	36"	Supports
F	42.1"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ48108
STHDJ48108
STHEJ48108



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	765 Gallons
Nominal Capacity	846 Gallons
Weight	1925 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	112"	Overall Length
B	59"	Overall Height
C	52"	Diameter
D	36"	Circulation
E	48"	Supports
F	42.1"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ48120
STHDJ48120
STHEJ48120



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	860 Gallons
Nominal Capacity	940 Gallons
Weight	2069 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	124"	Overall Length
B	59"	Overall Height
C	52"	Diameter
D	42"	Circulation
E	60"	Supports
F	42.1"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ48141
STHDJ48141
STHEJ48141



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	1040 Gallons
Nominal Capacity	1128 Gallons
Weight	2407 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	145"	Overall Length
B	59"	Overall Height
C	52"	Diameter
D	52.5"	Circulation
E	82"	Supports
F	42.1"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ54099
STHDJ54099
STHEJ54099



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	875 Gallons
Nominal Capacity	981 Gallons
Weight	2275Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	103"	Overall Length
B	65"	Overall Height
C	58"	Diameter
D	36"	Circulation
E	48"	Supports
F	47.3"	Support Width

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
 Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
 9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
 Litho in U.S.A. © Laars Heating Systems 1911 Document 4224E

Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ54123
STHDJ54123
STHEJ54123



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	1110 Gallons
Nominal Capacity	1219 Gallons
Weight	2650 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	127"	Overall Length
B	65"	Overall Height
C	58"	Diameter
D	42"	Circulation
E	57.5"	Supports
F	47.3"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ60096
STHDJ60096
STHEJ60096



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	1000 Gallons
Nominal Capacity	1174 Gallons
Weight	2675 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	100"	Overall Length
B	71"	Overall Height
C	64"	Diameter
D	28.5"	Circulation
E	34"	Supports
F	52.5"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

STHGJ60114
STHDJ60114
STHEJ60114



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	1245 Gallons
Nominal Capacity	1395 Gallons
Weight	3125 Lbs.

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	118"	Overall Length
B	71"	Overall Height
C	64"	Diameter
D	24"	Circulation
E	45.5"	Supports
F	52.5"	Support Width

Additional Information



Tank, Horizontal Jacketed

Design

- ☐ STHGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STHDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STHEJ Epoxy Lining with
One Year Tank Limited Warranty

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam w/12.5 R-Value
Supports	Saddles
Capacity	1530 Gallons
Nominal Capacity	1689 Gallons
Weight	3575 Lbs.

Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	142"	Overall Length
B	71"	Overall Height
C	64"	Diameter
D	48"	Circulation
E	69.5"	Supports
F	52.5"	Support Width

Additional Information

STHGJ60138
STHDJ60138
STHEJ60138

Date:

Project #:

Engineer:

Prepared By:

Bid Date:

Project Name:

Location:

Contractor:



Submittal Data

