

Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ30063
STVDJ30063
STVEJ30063



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	175 Gallons
Nominal Capacity	193 Gallons
Weight	548 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	71"	Overall Height
B	63"	Tank Height
C	30"	Diameter
D	19½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ30075
STVDJ30075
STVEJ30075



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	210 Gallons
Nominal Capacity	229 Gallons
Weight	613 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	83"	Overall Height
B	75"	Tank Height
C	30"	Diameter
D	19½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ30085
STVDJ30085
STVEJ30085



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	240 Gallons
Nominal Capacity	260 Gallons
Weight	673 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	93"	Overall Height
B	85"	Tank Height
C	30"	Diameter
D	19½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ30099
STVDJ30099
STVEJ30099



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	280 Gallons
Nominal Capacity	303 Gallons
Weight	700 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	107"	Overall Height
B	99"	Tank Height
C	30"	Diameter
D	19½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ30111

STVDJ30111

STVEJ30111



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	320 Gallons
Nominal Capacity	340 Gallons
Weight	730 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	119"	Overall Height
B	111"	Tank Height
C	30"	Diameter
D	19½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ36072

STVDJ36072

STVEJ36072



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	285 Gallons
Nominal Capacity	318 Gallons
Weight	714 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	80"	Overall Height
B	72"	Tank Height
C	36"	Diameter
D	21"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ36078

STVDJ36078

STVEJ36078



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	310 Gallons
Nominal Capacity	344 Gallons
Weight	782 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	86"	Overall Height
B	78"	Tank Height
C	36"	Diameter
D	21"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ36085

STVDJ36085

STVEJ36085



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	340 Gallons
Nominal Capacity	375 Gallons
Weight	845 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	93"	Overall Height
B	85"	Tank Height
C	36"	Diameter
D	21"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ36090
STVDJ36090
STVEJ36090



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	360 Gallons
Nominal Capacity	397 Gallons
Weight	894 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	98"	Overall Height
B	90"	Tank Height
C	36"	Diameter
D	21"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ36102
STVDJ36102
STVEJ36102



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	415 Gallons
Nominal Capacity	449 Gallons
Weight	982 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	110"	Overall Height
B	102"	Tank Height
C	36"	Diameter
D	21"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ36114

STVDJ36114

STVEJ36114



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	465 Gallons
Nominal Capacity	502 Gallons
Weight	1106 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	122"	Overall Height
B	114"	Tank Height
C	36"	Diameter
D	21"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ36126
STVDJ36126
STVEJ36126



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	515 Gallons
Nominal Capacity	555 Gallons
Weight	1194 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	134"	Overall Height
B	126"	Tank Height
C	36"	Diameter
D	21"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ42081
STVDJ42081
STVEJ42081



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	435 Gallons
Nominal Capacity	486 Gallons
Weight	1024 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	89"	Overall Height
B	81"	Tank Height
C	42"	Diameter
D	22½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ42084
STVDJ42084
STVEJ42084



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	453 Gallons
Nominal Capacity	504 Gallons
Weight	1074 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	92"	Overall Height
B	84"	Tank Height
C	42"	Diameter
D	22½"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com
Litho in U.S.A. © Laars Heating Systems 1909 Document 4229E

Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ42093
STVDJ42093
STVEJ42093



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	505 Gallons
Nominal Capacity	558 Gallons
Weight	1168 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	101"	Overall Height
B	93"	Tank Height
C	42"	Diameter
D	22½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ42105
STVDJ42105
STVEJ42105



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	575 Gallons
Nominal Capacity	630 Gallons
Weight	1292 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	113"	Overall Height
B	105"	Tank Height
C	42"	Diameter
D	22½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ42117

STVDJ42117

STVEJ42117



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	645 Gallons
Nominal Capacity	702 Gallons
Weight	1392 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	125"	Overall Height
B	117"	Tank Height
C	42"	Diameter
D	22½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ42129

STVDJ42129

STVEJ42129



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	720 Gallons
Nominal Capacity	774 Gallons
Weight	1498 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	137"	Overall Height
B	129"	Tank Height
C	42"	Diameter
D	22½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ42139

STVDJ42139

STVEJ42139



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	776 Gallons
Nominal Capacity	834 Gallons
Weight	1587 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	147"	Overall Height
B	139"	Tank Height
C	42"	Diameter
D	22½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ48073

STVDJ48073

STVEJ48073



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	500 Gallons
Nominal Capacity	572 Gallons
Weight	1381 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	81"	Overall Height
B	73"	Tank Height
C	48"	Diameter
D	24"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ48084
STVDJ48084
STVEJ48084



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	580 Gallons
Nominal Capacity	658 Gallons
Weight	1539 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	92"	Overall Height
B	84"	Tank Height
C	48"	Diameter
D	24"	Circulation

Additional Information



Customer Service and Product Support: 800.900.9276 • Fax 800.559.1583
Headquarters: 20 Industrial Way, Rochester, NH, USA 03867 • 603.335.6300 • Fax 603.335.3355
9 Brigden Gate, Halton Hills, Ontario, Canada L7G 0A3 • 905.203.0600 • Fax 905.636.0666
www.Laars.com Litho in U.S.A. © Laars Heating Systems 1909 Document 4229E

Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ48096
STVDJ48096
STVEJ48096



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	675 Gallons
Nominal Capacity	752 Gallons
Weight	1653 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	104"	Overall Height
B	96"	Tank Height
C	48"	Diameter
D	24"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ48108
STVDJ48108
STVEJ48108



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	765 Gallons
Nominal Capacity	846 Gallons
Weight	1803 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	116"	Overall Height
B	108"	Tank Height
C	48"	Diameter
D	24"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ48120
STVDJ48120
STVEJ48120



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	860 Gallons
Nominal Capacity	940 Gallons
Weight	1947 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	128"	Overall Height
B	120"	Tank Height
C	48"	Diameter
D	24"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ48141
STVDJ48141
STVEJ48141



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1040 Gallons
Nominal Capacity	1128 Gallons
Weight	2216 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	149"	Overall Height
B	141"	Tank Height
C	48"	Diameter
D	24"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ54099

STVDJ54099

STVEJ54099



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	875 Gallons
Nominal Capacity	981 Gallons
Weight	2200 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	107"	Overall Height
B	99"	Tank Height
C	54"	Diameter
D	27½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ54113
STVDJ54113
STVEJ54113



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1000 Gallons
Nominal Capacity	1119 Gallons
Weight	2400 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	121"	Overall Height
B	113"	Tank Height
C	54"	Diameter
D	27½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ54123
STVDJ54123
STVEJ54123



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1110 Gallons
Nominal Capacity	1219 Gallons
Weight	2575 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	129"	Overall Height
B	123"	Tank Height
C	54"	Diameter
D	27½"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ60096

STVDJ60096

STVEJ60096



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1000 Gallons
Nominal Capacity	1174 Gallons
Weight	2600 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads	Carbon Steel
Shell	Carbon Steel
Couplings	Carbon Steel

Dimensions

Callout	Value	Description
A	104"	Overall Height
B	96"	Tank Height
C	60"	Diameter
D	29"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ60114
STVDJ60114
STVEJ60114



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1245 Gallons
Nominal Capacity	1395 Gallons
Weight	3050 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:


Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	122"	Overall Height
B	114"	Tank Height
C	60"	Diameter
D	29"	Circulation

Additional Information



Tank, Vertical Jacketed

Design

- ☐ STVGJ Glass Lining with
Five Year Tank Limited Warranty
- ☐ STVDJ Double Glass Lining with
Ten Year Tank Limited Warranty
- ☐ STVEJ Epoxy Lining with
One Year Tank Limited Warranty

STVGJ60138
STVDJ60138
STVEJ60138



Submittal Data

Code	ASME Sec IV HLW
Design Pressure	125 psi
Test Pressure	125 psi
Parts Warranty	One Year, Limited
Exterior	Heavy Gauge Steel Jacket
Insulation	2" High Density Foam with 12.5 R-Value
Supports	2" Fork Lift Rails
Capacity	1530 Gallons
Nominal Capacity	1689 Gallons
Weight	3500 Lbs.

Date:

Project #:

Engineer:

Project Name:

Prepared By:

Location:

Bid Date:

Contractor:

Material Specs

Heads Carbon Steel
Shell Carbon Steel
Couplings Carbon Steel

Dimensions

Callout	Value	Description
A	146"	Overall Height
B	138"	Tank Height
C	60"	Diameter
D	29"	Circulation

Additional Information

